

**बिहार राज्य भवन निर्माण निगम, लि० पटना**  
**(बिहार सरकार का उपक्रम)**  
**दर आमंत्रण हेतु कोटेशन आमंत्रण सूचना सं०-29/2018-19**

भवन निर्माण विभाग के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक: 20.08.2018 के अपराह्न 3:00 बजे तक निर्देशानुसार निम्नलिखित कार्यों के लिए मुहरबंद कोटेशन उप महाप्रबंधक, पी०आई०यू०, पटना/महाप्रबंधक (उत्तर/दक्षिण)/मुख्य महाप्रबंधक, बिहार राज्य भवन निर्माण निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा और उसी दिन 3:30 बजे अपराह्न में कोटेशनदाताओं या उनके द्वारा अधिकृत प्रतिनिधियों के समक्ष खोला जायेगा।

**कार्य का विवरण:-**

क्र० सं०	योजना का नाम	उपस्कर की विवरणी	इकाई	उद्धृत दर
1	2	3	4	5
1		<b>lab table:-</b> Providing and fitting lab table size 1200x600x750 mm table top made of 30 mm thick phenol bond using in prelaminated particle board and edge banding of thickness will be start from 2mm from top and 1mm for rest part PLPB certified from ISI grade & termite, Borer and fungus resistance laminated outside in selected color table top supported with 25 mm thick side panel and modesty panel in Pre laminated particle board with pvc edge banding. BIFMA, BS OHSAS 18001:2007, ISO 9001:2008, ISO 14001:2004 and IGBC. As per approved Color.	each	
2	पटना, दरभंगा, भागलपुर, पूर्णिया, सारण, मुजफ्फरपुर, बेतिया, सीतामढ़ी, सिवान, मुंगेर एवं बेगूसराय जिलान्तर्गत माप तौल कार्यकारी प्रयोगशाला/द्वितीय मानक प्रयोगशाला/केन्द्रीय प्रयोगशाला/कंट्रोलर ऑफिस	<b>Medium Back Chiar:-</b> Medium Back Chiar Size (Back Height-530xBack Width-460)mm & (Seat Depth-450xSeat Width-460)mm with Min-Max Height (420-520)mm. Nylon base chair with push back mechanism & Fix handle. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified Company BIFMA, ISO, Green Guard- IGBC. As per approved Color.	each	
3		<b>Office Table -</b> TABLE SIZE:1800LX 900DX 750HT. · Table top made of 25mm thk Prelamin particle board with pvc edges. · Tabletop supported with 25 mm thk side panel & Modesty Panel in Prelaminated Particle Board with Pvc edge banding side. With Side Credenza of Size: 900x450x750HT MM·Having Pedestal of 400Lx 450Dx621 HT (2 drawer + 1filling). ·PVC Keyboard Tray ..Metal CPU Trolley. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. The Product Should be BIFMA, BS OHSAS 18001:2007, ISO 9001:2008, ISO 14001:2004 and IGBC-MP-1060 Certified. As per approved Color.	each	
4		<b>Office Table -</b> TABLE SIZE:1800LX 900DX 750HT. · Table top made of 25mm thk Prelamin particle board with pvc edges. Tabletop supported with 25 mm thk side panel & Modesty Panel in Prelaminated Particle Board with Pvc edge banding side. Having Pedestal of 400Lx 450Dx621 HT (2 drawer + 1filling). ·PVC Keyboard Tray ..Metal CPU Trolley. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency,	each	

		fade resistance lamination best International Technology. The Product Should be BIFMA, BS OHSAS 18001:2007, ISO 9001:2008, ISO 14001:2004 and IGBC- MP-1060 Certified. As per approved Color.		
5		<b>High Back Chair:-</b> High Back Chair Size (Back Height-670xBack Width-470)mm & (Seat Depth-485xSeat Width-475)mm with Min-Max Height (460-540)mm. Nylon base chair with push back mechanism & Fix handle. Nylon base chair with push back mechanism. Back & seat cover cushion chair upholstered in fabric & adjustable armrest locks any position. Syncro mechanism with locking system and five star chrome base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-9001,Green Guard-IGBC, . As per approved color.	each	
6		<b>Visitor Chair-</b> Cantiliver Chair Size (Back-H-470xW-460, Seat-D-460x470)mm & Min. Height-430mm. Multipurpose fixed cantiliver chair & armrest with padding & metal base. A 14mm thick, BWR grade plywood (IS:303) is used to make the seat and back. Deep cushioned back and seat confirm to body contours for proper alignment, posture and all day comfort. 5% post consumed recycled content & 30% total recycled content. The Product should be BIFMA,Green Gaurd, ISO.14001,18001 Certified. As per approved Color.	each	
7		<b>Three seated stainless steel chair:-</b> Providing and fitting 3 seated stainless steel chair(size L1608xD600xH700) .SS plated arms and legswith perforated seatand back silver grey powder coated & ss coated combination chair with all compete job and as per directir in chargeon of Engine	each	
8		<b>Steel Almirah:-</b> Steel Almirah with 4 Shelves Size-(78"x35"x19").Almirah in 20/22 Guage. with adjustable selves and having duly powder coated of 50-60 micron.	each	
9		<b>CUBICAL WORKSTATION</b> -SIZE: 1350L X 1350 X 600D X 1200HT. 50 mm thk Sliding Tile Based Partition. · Double Metal raceway cover at above or below the table top and skirting level in Partition.· Magnetic Pin up & white board in partition above the tabletop. · Table top made of 25 mm thk Prelamin particle board with pvc edges. · Tabletop supported with 25 mm thk side panel Prelaminated Particle Board with Pvc edge banding side.·Pedestal of 400L x 450D x621 HT (2 drawer + 1filling). Metal Keyboard Tray ..Metal CPU Trolley. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. The Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI & IGBC.	each	
10		<b>Conference table-</b> Table Size (9300x1800x750)mm. Eextendable in length & width. The extendable meeting adds a sense of character to conference rooms. The innovation modular design enables varius configration. An all wood conference table with minimalist look and basic functionality, ideal for meeting room & top comes with 25mm thick pre lam particle board & side panel 18mm thick prelam particle board & 2mm pvc edge banding with modesty given much needed ptimary and close interaction. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. BIFMA, BS OHSAS 18001:2007, ISO 9001:2008, ISO 14001:2004 and IGBC- MP-1060 Certified. As per approved Color.	each	
11		<b>Three Seater sofa-</b> Supply and fixing 3 seater sofa of size: 1680x820Dx750 HT MM. Made of wooden frame structure. Seats Back should be cushioned of at least 45-50 density HD foam. with	each	



		leatherite upholstery. Having SS pipe leg. As per approved color and design. Product should be BIFMA, ISO 14001, ISO 9001, BSOHSAS certified.		
12		<b>Centre table-</b> Supply and fixing centre table of size: 1200x600 made of SS pipe structure with chrome finished. with 12 MM toughened glass top. All as per design and approved.	each	
13		<b>File cabinet:-</b> 2 Door file cabinet size (800x381x1970)mm 2 door file cabinet .On the top shell for display with two glass door .With ample storage facility .Phenol bond using in pre laminated particle board and edge bond thickness will be start from 2mm for top & 1mm for rest parts our PLPB certified from ISI grade & termite .Borer & Fungus resistance laminated outside in selected color & inside (Non visible part)will be balancing white 100%Eropan design & texture & 100% Product continency fade resistance lamination best international Technology color-wenge	each	

- यह कोटेशन दर निर्धारण के लिए आमंत्रित किया गया है।
- विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्यावधि में सम्पर्क करें।

**विशेष शर्त:-**

1. कोटेशनदाताओं को अपना दर अंक एवं अक्षरों में उद्धृत करना है।
2. दर सभी प्रकार के करों को लेकर अंकित किया जायेगा।
3. दर कार्यस्थल पर समानों की ढुलाई को लेकर किया जाएगा, उन्हें किसी प्रकार का अतिरिक्त ढुलाई दर देय नहीं होगा।
4. कोटेशन के साथ अद्यतन आयकर एवं GST प्रमाण-पत्र देना होगा।
5. विशेष सूचना के लिए सूचनापट्टा या वेबसाइट [www.brdbihar.gov.in](http://www.brdbihar.gov.in) एवं [www.bsbccl.bih.nic.in](http://www.bsbccl.bih.nic.in) देखें या अधोहस्ताक्षरी से सम्पर्क करें।

ह0/-

मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।

ज्ञापांक:-

दिनांक:

प्रतिलिपि:- निदेशक, सूचना एवं जन-सम्पर्क विभाग, बिहार, पटना को e-advertisement के माध्यम से दैनिक समाचार पत्रों में प्रकाशनार्थ समर्पित ।

ह0/-

मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।

ज्ञापांक:-

दिनांक: 30.7.18

प्रतिलिपि:- आई0टी0 मैनेजर, बिहार राज्य भवन निर्माण निगम लि0, पटना को सूचनार्थ एवं निगम के वेबसाइट पर अपलोड करने हेतु प्रेषित।

मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।