

**बिहार राज्य भवन निर्माण निगम, लि० पटना**

(बिहार सरकारका उपक्रम)

**दर आमंत्रण हेतु कोटेशन आमंत्रण सूचना सं०-46/2018-19**

भवन निर्माण विभाग के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक: 30.08.2018 के अपराह्न 3:00 बजे तक निर्देशानुसार निम्नलिखित कार्यों के लिए मुहरबंद कोटेशन उप महाप्रबंधक, पी०आई०यू०, पटना/महाप्रबंधक (दक्षिण)/मुख्य महाप्रबंधक, बिहार राज्य भवन निर्माण निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा और उसी दिन 3:30 बजे अपराह्न में कोटेशनदाताओं या उनके द्वारा अधिकृत प्रतिनिधियों के समक्ष खोला जायेगा।

कार्य का विवरण:-

क्रम सं०	योजना का नाम	कार्य की विवरणी	ईकाई	उद्धृत दर
1	2	3	4	5
<b>Civil work</b>				
1	CONSTRUCTION OF COURT ROOM, CHAMBER, OFFICE, MEDIATION CENTER AND RECORD ROOM IN COMBINED COURT BUILDING(SEMI BASEMENT AND G+7) AT PATNA CIVIL COURT, PATNA, BIHAR	<p>Providing and fixing factory made UPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of UPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape &amp; size according to UPVC profile), appropriate dimension of UPVC extruded glazing beads and UPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg),</p> <p>G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame &amp; sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc.</p> <p>After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing &amp; direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealant shall be paid separately)</p> <p>Note: For UPVC frame and sash extruded profiles minus 5% tolerance in dimension i.e. in depth &amp; width of profile shall be acceptable.</p> <p>Two track two panels sliding window made of (small series) frame 52 x 44 mm &amp; sash 32 x 60 mm both having wall thickness of 1.9 ± 0.2 mm and single glazing bead of appropriate dimension. (Area of window upto 1.75 sqm)</p>	Sqm	
2		Providing and fixing factory made UPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of UPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required	Sqm	

	<p>length (shape &amp; size according to UPVC profile), appropriate dimension of UPVC extruded glazing beads and UPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg),</p> <p>G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame &amp; sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing &amp; direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealant shall be paid separately) Note: For UPVC frame and sash extruded profiles minus 5% tolerance in dimension i.e. in depth &amp; width of profile shall be acceptable.</p> <p>Two track two panels sliding window made of (small series) frame 67 x 50 mm &amp; sash 46 x 62 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead/double glazing bead of appropriate dimension. (Area of window above 2.50 sqm upto 4.00 sqm.)</p>		
3	<p>Providing and fixing Dias with Plywood 18 mm thick+12mm thick waterproof BWR ply board(century/Green/kitply) and 4mm thick teak veneer one side decorative, round shape wooden moulded teak wood post ,teak wood beading, polishing etc. as per approved norms of court including all Cost of labour and material complete job as per direction of E/I</p> <p>Size of one Dias 6.45Mx1.40M= 9.03M2</p>	each	

- यह कोटेशन दर निर्धारण के लिए आमंत्रित किया गया है।
  - विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्यावधि में सम्पर्क करें।
- विशेष शर्त:-**
1. कोटेशनदाताओं को अपना दर अंक एवं अक्षरों में उद्धृत करना है।
  2. दर सभी प्रकार के करों को लेकर अंकित किया जायेगा।
  3. दर कार्यस्थल पर समानों की ढुलाई को लेकर किया जाएगा, उन्हें किसी प्रकार का अतिरिक्त ढुलाई दर देय नहीं होगा।
  4. कोटेशन के साथ अद्यतन आयकर एवं GST प्रमाण-पत्र देना होगा।
  5. विशेष सूचना के लिए सूचनापट्टा या वेबसाईट [www.brdbihar.gov.in](http://www.brdbihar.gov.in) एवं [www.bsbcccl.bih.nic.in](http://www.bsbcccl.bih.nic.in) देखें या अधोहस्ताक्षरी से सम्पर्क करें।

ज्ञापक:-  
प्रतिलिपि:- निदेशक, सूचना एवं प्रकाशनार्थ समर्पित

दिनांक:  
जन-सम्पर्क विभाग, बिहार, पटना को e-advertisement के माध्यम से दैनिक समाचार पत्रों में

ह0/-  
मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।

ह0/-  
मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।


ज्ञापांक:-

2395

दिनांक:

08.8.18

प्रतिलिपि:- आईटीओ मैनेजर, बिहार राज्य भवन निर्माण निगम लि०, पटना को सूचनार्थ एवं निगम के वेबसाईट पर अपलोड करने हेतु प्रेषित।



मुख्य महाप्रबंधक

बिहार राज्य भवन निर्माण निगम लि०, पटना।

bx