

बिहार राज्य भवन निर्माण निगम, लि० पटना  
(बिहार सरकारका उपक्रम)

दर आमंत्रण हेतु कोटेशन आमंत्रण सूचना सं०-68/2018-19

भवन निर्माण विभाग के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक: 15.09.2018 के अपराह्न 3:00 बजे तक निर्देशानुसार निम्नलिखित कार्यों के लिए मुहरबंद कोटेशन उप महाप्रबंधक, पी०आई०यू०, पटना/महाप्रबंधक (उत्तर/दक्षिण)/मुख्य महाप्रबंधक, बिहार राज्य भवन निर्माण निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा और उसी दिन 3:30 बजे अपराह्न में कोटेशनदाताओं या उनके द्वारा अधिकृत प्रतिनिधियों के समक्ष खोला जायेगा।

कार्य का विवरण:-

क्रम सं०	योजना का नाम	कार्य की विवरणी	ईकाई	उद्धृत दर
1	2	3	4	5
1	RENOVATION WORK OF PROPOSED OFFICE OF FURNITURE LAYOUT FOR MINORITY WELFARE DEPARTMENT AT ANNEXE BUILDING NUMBER 4 (1st FLOOR), OF OLD SECRETARIAT, PATNA, BIHAR	Workstation- Workstation Size : 1200W x 600D x 1200Ht. . Provision of 67mm thk sliding partition.(Side, Front & end closed) . Two prelam Particle board wire raceway cover at skirting & Below table top level. Pin-up board & White board in partition above table top. 25mm thk. Prelam Particle board tabletop with Pvc edge banding. Tabletop supported with 18mm thk Prelam particle board with PVC edge banding. Metal Keyboard Tray + Mouse Pad & Metal CPU Trolley. Mobile Pedestal - 400wx450Dx600Ht. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. The product should be from BIFMA, FSC, AGSI & Green Guard certified company.	Each	
2		Medium Back Chiar Size (Back Height-530xBack Width-460)mm & (Seat Depth-450xSeat Width-460)mm with Min-Max Height (420-520)mm. Nylon base chair with push back mechanism & Fix handle. Nylon base chair with push back mechanism. Back & seat cover cushion chair upholstered in fabric & adjustable armrest locks any position. Syncro mechanism with locking system and five star chrome base with nylon casters. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA, ISO-50001, Green Guard, AGSI, FSC & PEFC. Color-Black.	Each	
3		Storage Cabinet- 3 Door Back Storage- Size (1200x400x1200)mm, Storage top made of 25mm thk and side of 15mm thk Prelamin particle board. Storage with openable shutter with 2 shelves and lock. Storage top & shutter color will be maple and storage side & skirting color will be Dark gray. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color-Maple & Dark Gray.The		

	Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.		
4	Table with side unit return- Table Size(1500x750x750)mm with 35 mm thk top & Side runner Size(750x450x750mm with 35 mm thk. Table made of 35 mm thk pre lam particle board with edge banding. Table top supported with 35 mm side panel & from panel. Keyboard tray & cpu trolley. Table top with wire manager & interchangeable side runner with fixed pedestal of 3 drawers. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color-Wenge. The Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.	Each	
5	High Back Chair Size Minimum (H-1092xW-584xD457)mm & Maximum (H-1219xW-584xD-457)mm with revolving, Nylon base with gas height adjustment and central tilting with single locking mechanism. Armrest with padding. Fixed cushion chair upholstered in fabric. Fixed design handle. Deep cushioned back and seat conform to body contours for proper alignment, posture and all-day comfort. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. 5% post consumed recycled content & 30% total recycled content. The Product should be FSC, BIFMA, Green Guard, AGSI Certified & ISO 14001 Certified. Color-Blue/Black	Each	
6	Back Unit- Size (1200x450x750)mm Lockable side runner with sliding shutter & shelf. made of 25mm thk pre lam particle board with edge banding. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color- Wenge. The Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.	Each	
7	Visitor Chair- Cantilever Chair Size (Back-H-470xW-460, Seat-D-460x470)mm & Min. Height-430mm. Multipurpose fixed cantilever chair & armrest with padding & metal base. A 14mm thick, BWR grade plywood (IS:303) is used to make the seat and back. Deep cushioned back and seat confirm to body contours for proper alignment, posture and all day comfort. 5% post consumed recycled content & 30% total recycled content. The Product Should be Certified BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC. Color-Black.	Each	
8	Office Table Top Size-( 1200L x 600D x 760H)mm. Table top with 40mm thick with machine pressed 2mm thick pvc. Each table is provided three drawer pedestal with centralised locking system. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Techology. The Product Should be Certified BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC. Color-Wenge	Each	
9	2 Door File Cabinet - L800mm D381mm H1970mm. 2 door file cabinet. On the top shelf for display with two glass door. With ample storage facility. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm	Each	

	for rest parts. certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color- Wenge .The Product Should be Certified Company BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.		
10	Cantilever Chair - Chair Size - Maximum Height - 900mm, Outer Dimension - 560mm & seat Depth - 440mm. Fixed cantilever chair & armrest with padding & metal base. Fixed cushion chair upholstered in fabric. Fixed design handle. Deep cushioned back and seat conform to body contours for proper alignment, posture and all-day comfort. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. 5% post consumed recycled content & 30% total recycled content. The Product should be FSC, BIFMA, Green Guard, AGSI Certified & ISO 14001 Certified. Color-Blue/Black	Each	
11	3 Seater Perforated Chair in Stainless Steel.	Each	
12	3 Seater Sofa Set -3 Seater Waiting Sofa Size(1920x750x740)mm, Frame used is treated American pine wood with termite free & borer free. Soft & comfortable cushion with high density and resilient foam. Frame used is Treated American pine wood & the wood used in sofa has been 8% moisture, this prevents the wood from wrapping and bending. all wood used is termite free and borer free. Foam of sofa comfortable cushion with high density and resilient foam. all aphotstry materials used in specially designed. all plywood used in M R Grade. The Product Should be Certified BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC. Color-Black/Brown	Each	
13	Center Table- Size (1000x600x400)mm. Modern and sleek design rectangular glass coffee table. Clear tempered bend glass coffee table with inbuilt metal rods on both the sides of glass base & frosted glass shelf. The Product Should be Certified BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.	Each	
14	Corner Table - (Dia) 390mm X (H)460mm. The sleek compact table made of solid wood has a touch of style. Perfectly crafted slim tabletop & miniature design. Base is made of exquisitely crafted three curved leg base. Stylish base of the table brings an lavish look to the table. The rich finish of table enhances the table. The Product Should be Certified BIFMA,ISO-50001,Green Guard, AGSI, FSC & PEFC.	Each	
15	1 Seater Sofa Set -1 Seater Waiting Sofa Size(800x750x740)mm, Frame used is treated American pine wood with termite free & borer free. Soft & comfortable cushion with high density and resilient foam. Frame used is Treated American pine wood & the wood used in sofa has been 8% moisture, this prevents the wood from wrapping and bending. all wood used is termite free and borer free. Foam of sofa comfortable cushion with high density and resilient foam. all aphotstry materials used in specially designed. Color-Black. The Product should be FSC, BIFMA, Green Gaurd, AGSI & ISO.14001,18001 Certified.	Each	
16	Slotted Angle Rack with 6 Shelves. Size-(78"x36"x15") Guage 16-18 of Angle.	Each	
17	<b>Ruller Blind-Providing and fixing Ruller blind all complete job AS PER INSTRUCTION OF ENGINEER IN CHARGE</b>	Sqm	
18	False Ceiling-Providing and fixing false ceiling with12mmthick plain/ semi perforated or with design ceiling tiles of BWP type phenol formaldehyde synthetic resin bonded press ed particle board conforming to IS:3087, finished with a coat of aluminium primer on both sides & edges, including two coats of synthetic enamel pain to approved quality on exposed face, fixed to a grid made out of	Sqm	

anodised aluminium (with 15 micron anodic coating) T-sections 35 x15x1.5mm size main runners, cross runners 23.5x19x1.5 mm fixed to main runners placed 600 mm centre to centre both ways so as to form a grid of 600 mm square. The frame work shall be suspended from ceiling by level adjusting hangers of 6 mm dia M.S rod fixed to roof slab by means of ceiling cleats and dash fastener. The suspenders shall be placed 600 x 1200 mm centre to centre including fixing to the frame with C.P Sqm brass screws and applying a priming coat of zinc chromate yellow primer (aluminium frame work shall be paid separately).

- यह कोटेशन दर निर्धारण के लिए आमंत्रित किया गया है।
- विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्यावधि में सम्पर्क करें।

**विशेष शर्त:-**

1. कोटेशनदाताओं को अपना दर अंक एवं अक्षरों में उद्धृत करना है।
2. दर सभी प्रकार के करों को लेकर अंकित किया जायेगा।
3. दर कार्यस्थल पर समानों की दुलाई को लेकर किया जाएगा, उन्हें किसी प्रकार का अतिरिक्त दुलाई दर देय नहीं होगा।
4. कोटेशन के साथ अद्यतन आयकर एवं GST प्रमाण-पत्र देना होगा।
5. विशेष सूचना के लिए सूचनापट्टा या वेबसाइट [www.brdbihar.gov.in](http://www.brdbihar.gov.in) एवं [www.bsbcccl.bih.nic.in](http://www.bsbcccl.bih.nic.in) देखें या अधोहस्ताक्षरी से सम्पर्क करें।

ह0/-

मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।

ज्ञापक:-

दिनांक:

प्रतिलिपि:- निदेशक, सूचना एवं जन-सम्पर्क विभाग, बिहार, पटना को e-advertisement के माध्यम से दैनिक समाचार पत्रों में प्रकाशनार्थ समर्पित

ह0/-

मुख्य महाप्रबंधक,  
बिहार राज्य भवन निर्माण निगम लि0, पटना।

ज्ञापक:-

~~30~~ 2599

दिनांक: 30-8-18

प्रतिलिपि:- आई0टी0 मैनेजर, बिहार राज्य भवन निर्माण निगम लि0, पटना को सूचनार्थ एवं निगम के वेबसाइट पर अपलोड करने हेतु प्रेषित।

मुख्य महाप्रबंधक,

बिहार राज्य भवन निर्माण निगम लि0, पटना।

bx