



बिहार सरकार

बिहार राज्य भवन निर्माण निगम, लि० पटना
(बिहार सरकार का उपक्रम)
दर आमंत्रण हेतु कोटेशन आमंत्रण सूचना सं०-78/2018-19

भवन निर्माण विभाग के निबंधित संवेदकों/ख्याति प्राप्त फर्मों/कंपनियों से दिनांक: 23.09.2018 के अपराहन 3:00 बजे तक 63 नवनिर्मित बुनियाद केन्द्र में उपष्कर आपूर्ति एवं अधिष्ठापन कार्यों के गैर अनुसूचित मदों के लिए मुहरबंद कोटेशन उप महाप्रबंधक, पी०आई०यू०, पटना/महाप्रबंधक (दक्षिण)/मुख्य महाप्रबंधक, बिहार राज्य भवन निर्माण निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा और उसी दिन 3:30 बजे अपराहन में कोटेशनदाताओं या उनके द्वारा अधिकृत प्रतिनिधियों के समक्ष खोला जायेगा।

- उक्त कोटेशन से संबंधित विस्तृत विवरणी निगम के वेबसाईट www.bsbccl.bih.nic.in पर उपलब्ध है।
- यह कोटेशन दर निर्धारण के लिए आमंत्रित किया गया है।
- विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्यावधि में सम्पर्क करें।

विशेष शर्तें:-

1. कोटेशनदाताओं को अपना दर अंक एवं अक्षरों में उद्धृत करना है।
2. दर सभी प्रकार के करों को लेकर अंकित किया जायेगा।
3. दर कार्यस्थल पर समानों की दुलाई को लेकर किया जाएगा, उन्हें किसी प्रकार का अतिरिक्त दुलाई दर देय नहीं होगा।
4. कोटेशन के साथ अद्यतन आयकर एवं GST प्रमाण-पत्र देना होगा।
5. विशेष सूचना के लिए सूचनापट्टा या वेबसाईट www.prdbihar.gov.in एवं www.bsbccl.bih.nic.in देखें या अधोहस्ताक्षरी से सम्पर्क करें।

ह०/-

मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि०, पटना।

ज्ञापांक:-

दिनांक:

प्रतिलिपि:- निदेशक, सूचना एवं जन-सम्पर्क विभाग, बिहार, पटना को e-advertisement के माध्यम से दैनिक समाचार पत्रों में प्रकाशनार्थ समर्पित।

ह०/-

मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि०, पटना।

ज्ञापांक:-

2639

दिनांक: 04.09.18

प्रतिलिपि:- आई०टी० मैनेजर, बिहार राज्य भवन निर्माण निगम लि०, पटना को सूचनार्थ एवं निगम के वेबसाईट पर अपलोड करने हेतु प्रेषित।

मुख्य महाप्रबंधक,
बिहार राज्य भवन निर्माण निगम लि०, पटना।

NIT-78

| क्रम सं० | योजना का नाम | कार्य की विवरणी | ईकाई | उद्धृत दर |
|-----------------------|---|---|------|-----------|
| 1 | 2 | 3 | 4 | 5 |
| Furniture Work | | | | |
| 1 | 63 नवनिर्मित बुनियाद केन्द्र में उपकरण की आपूर्ति एवं अधिष्ठापन का कार्य। | Reception Table - Size (1980X750X750)mm. 10 mm Thk. Clear Glass on Tabletop With S. S Stud. . 25 mm Thk. Prelaminated MDF board Tabletop with PVC edge Banding. . Tabletop Supported 18 mm Thk. Prelaminated MDF board Side Panel & Modesty with PVC edge Banding. . Fixed Pedestal : Size : 400Wx450Dx725Ht. (2 Drawer + 1 Filling Drawer) Color - Maple & Dark Gray..The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 2 | | Medium Back Chair Size (Back Height-530xBack Width-460)mm & (Seat Depth-450xSeat Width-460)mm with Min-Max Height (420-520)mm. Nylon base chair with push back mechanism & Fix handle. Seat & Back made up of 14mm thick boiling water proof plywood os ISI303. Chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive with task chair & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Back reclines at A 2-to-1 ratio to the seat. 5% post consumed recycled content & 30% total recycled content. Color-Black..The Product should be BIFMA,ISO-9001,ISO-14001 , OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 3 | | Providing and fixing 3 Seated stainless steel chair finished with perforated seat with all complete job .The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 4 | | Computer Table - (size : 1500x 600 x 760 mm) computer Lab Supply and installation of Prelaminated particle board of wood finish on both side and top on hard wood frame with drawer, Cabinet and wire manager complete with all necessary hardware and as per drawing design. The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC,FIRA Certified. As Per direction given by E/I. | Each | |
| 5 | | Computer Chair : Supply and installation of Telemate medium back chair with single point lock tilting mechanism castor and lather lite sheet over PU foam sheet complete on chrome base. The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 6 | | Providing and fixing steel body stool size top 300mm dia and height 750mm with all complete job .The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 7 | | 2 Door File Cabinet - Size (800x381x1970)mm. 2 Door file cabinet. On the top shelf for display with two glass door. With ample storage facility. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from 2mm for Top & 1mm for rest parts. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology Color- Wenge. The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 8 | | Table with Side Unit- Table Top Size-(2100L x 900D x 760H)mm & Side runner size- (2000L x 400D x 760H) Straight line table with two wire manager, Mobile pedestal with 2 drawer/center lock, fixed side runner with 3 drawer with lock. two openable shutter & one open shelf shelf. Key board tray & CPU trolley. Phenol bond using in Pre-Laminated Particle Board & Edge band thickness will be start from | Each | |

| | | | | |
|----|--|--|------|--|
| | | 2mm for Top & 1mm for rest parts. Our PLPB certified from ISI grade & Termite, Borer & Fungus resistance laminated outside in selected color & inside (Non Visible Part) will be balancing white. 100% European design & texture & 100% Product Consistency, fade resistance lamination best International Technology. Color-Wenge.The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | | |
| 9 | | High Back Chair with revolving. Size(Seat W-510xD-470, Back-H-660xW-540, Height-Min.530mm Max.620mm) Chrome plated base with gas height adjustment and synchro tilting with multi locking mechanism. Armrest with PU padding. Leatherette upholstery has the look and feel of top grain leather. Cushion with lumber support for all day comfort. Chrome plated loop armrest with padded upholstery for extra comfort. chair rotates a full 360 degree in either direction for ease of motion. Standard on every executive & controls rate and ease with which chair reclines to different weight and strengths of users. Quick and easy adjustment regulated height of chair relative to floor. Look out tilt function when chair is in upright position. 5% post consumed recycled content & 30% total recycled content. Color-Black .The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 10 | | Visitor Chair- Cantilever Chair Size (Back-H-470xW-460, Seat-D-460x470)mm & Min. Height-430mm. Multipurpose fixed cantilever chair & armrest with padding & metal base. A 14mm thick, BWR grade plywood (IS:303) is used to make the seat and back. Deep cushioned back and seat conform to body contours for proper alignment, posture and all day comfort. 5% post consumed recycled content & 30% total recycled content. Color-Black The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 11 | | Providing and fixing mirror(size 4'x2.5') of superior glass back with hard card board and plastic border. | Each | |
| | | First Floor | | |
| 12 | | Providing and fixing bed with mattress size of bed L 1998x W 915x H 560MM Under structure M.S. ERW round tube dia 31.75mm tube thickness 1.6mm top sheet CRCA 1.00mm. Head board and leg Board SS tube and SS sheet & PLT 1.2mm thick tube and 18mm thick board. The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 13 | | Providing and fix in two step steel stair width 600 mm tread 300mm riser 150mm with all complete job .The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 14 | | Dining table(3'x3')Table time out 4 seater Size: 900x900x750mm :- Work surface 25 m.m. Thick M D F Board P U painting Under Structure of Ms. Powder Coted Pipe dia 38 mm. The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |
| 15 | | Seat/Back: Seat & Back are injection moulded in PP. They are snap fitted on the under structure assembly and fixed with self-taping screws Approx. Back Size : 37.0cm (W) x 25.5cm (H) Approx. Seat Size : 40.5cm (W) x 40.5cm (D) Under structure Assembly: The under structure assembly is a welded frame assy. with the upper frame made of dia. \varnothing 1.9 \pm 0.02cm x 0.2 \pm 0.016 thk.and legs made of \varnothing 1.9 \pm 0.02cm x 0.16 \pm 0.0128cm thk. M.S. E.R.W tubes and black powder coated (DFT 40-60 microns).The Product should be BIFMA,ISO-9001,ISO-14001 ,OHSAS18001 ,IGBC Certified. As Per direction given by E/I. | Each | |

R